

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A computing system comprising:
 - a processor with various power state conditions, wherein the processor performs at a selectable operating mode;
 - a north-bridge controller initiating a processor reset signal input;
 - a south-bridge controller providing an interface for I/O devices to the processor and performing power state transitions from the I/O devices to the south-bridge controller;
 - means for resetting the processor;
 - a clock;
 - a power supply; and
 - a logic device interfaced to the processor, the north-bridge controller, the south-bridge controller, the clock, and the power supply, whereby the logic device asserts a transition to a different operating mode on the processor while the processor is in a deep sleep power state, and upon transition back to operating power state, the clock provides a frequency and the power supply provides a voltage matched to the different operating mode, and whereby the logic device provides control signals to the processor to cause the deep sleep immediately after reset.
2. (Currently Amended) The computing system of claim 1 wherein the logic device monitors a the reset condition of the processor, waits for reset to be de-asserted, and asserts a performance mode transition.

3. (Original) The computing system of claim 1 wherein the logic device passes transition signals from the north-bridge controller to the processor, the transition signals placing the processor in a deep sleep power state and asserting a performance mode transition.

4. (Previously Presented) The computing system of claim 1 wherein the logic device passes transition signals from the south-bridge controller to the processor, the transition signals placing the processor in a deep sleep power state and asserting a performance mode transition.

5. (Original) The computing system of claim 1 wherein the logic device asserts the transition during the normal processor power up sequence.

6. (Original) The computing system of claim 1 wherein the logic device asserts the transition following the processor first read only memory (ROM) access.

7. (Cancelled).

8. (Cancelled).

9. (Cancelled).

10. (Cancelled).

11. (Currently Amended) A method of transitioning a processor having various power state conditions wherein the processor operates a selectable operating mode, comprising:

providing a north-bridge controller, the north-bridge controller initiating a processor reset signal input;

~~passing control signals from the north-bridge controller capable of placing the processor in a deep sleep state and transitioning the processor into a different operating mode;~~

providing a south-bridge controller, the south-bridge controller providing interface for I/O devices to the processor and performing power state transitions from the I/O devices to the south-bridge controller;

~~passing control signals from the south-bridge controller capable of placing the processor in a deep sleep state and transitioning the processor into a different operating mode; waiting for the processor to reach a reset state;~~

resetting the processor; and asserting a performance mode change in the processor.

providing a clock, a power supply and a logic device, the logic device interfaced to the processor, the clock and the power supply, whereby the logic device provides control signals to the processor to cause a deep sleep transition to the processor immediately after reset.

12. (Cancelled).
13. (Cancelled).
14. (Previously Presented) The method of claim 11 wherein asserting a performance mode is during normal processor power up sequence.
15. (Previously Presented) The method of claim 11 wherein asserting a performance mode is during processor read only memory (ROM) access.